

TIMECUTTER® ZERO-TURN MOWERS

START FIERCE. FINISH FIRST.

Arm yourself with professional performance, rock-solid durability and best-grass-in-the-neighborhood precision.



34" TIMECUTTER

| MODEL | 77301 |
|-----------------------------------|-------------------------|
| POWER SYSTEM | |
| Deck Size | 34" |
| Deck Material | Iron Forged™ Fabricated |
| Suspension System | Seat Springs |
| Engine | 22HP Briggs V-Twin |
| Warranty | 3-Year Residential |
| Engine Warranty | 3-Year Residential |
| FEATURES | |
| Seat | 16" Handcrafted |
| Deck Mounting | 3-Point |
| Toolless Deck Removal | ✓ |
| Commercial Drop Pin Height of Cut | – |
| Removable Floor Pan | – |
| Toolless Lever Adjustments | – |
| Ease of Access | Step-Through Front End |
| Toolless Belt Covers | ✓ |
| Deck Lift Pedal | Optional |
| Greaseless Maintenance | – |
| Integrated Parking Brake | ✓ |
| Fuel Capacity | 3 gallon |
| Blade Tip Speed | 17,514 ft/min |
| Max Ground Speed | Up to 7mph |
| Height of Cut | 1.5"-4.5" |
| Frame | C-Channel |
| Dampeners | Pro-Control |
| Rear Tires | 18" X 6" Turf |
| Front Tires | 11" X 4" |

42" TIMECUTTER

| | 75748 | 77401 | 77404 | 75747 |
|-----------------------------------|------------------------|------------------------|-------------------------|-------------------------------|
| POWER SYSTEM | | | | |
| Deck Size | | | 42" | |
| Deck Material | Stamped | Stamped | Iron Forged™ Fabricated | Iron Forged™ Fabricated |
| Suspension System | Seat Springs | Seat Springs | Seat Springs | ► MyRIDE Suspension System |
| Engine | 15.5HP Briggs | 22HP Briggs V-Twin | 22HP Briggs V-Twin | 22HP Briggs V-Twin |
| Warranty | | | 3-Year Residential | |
| Engine Warranty | | | 3-Year Residential | |
| FEATURES | | | | |
| Seat | 16" Handcrafted | 16" Handcrafted | 16" Handcrafted | » 18" Handcrafted w/ Armrests |
| Deck Mounting | | | 3-Point | |
| Toolless Deck Removal | | | ✓ | |
| Commercial Drop Pin Height of Cut | | | – | |
| Removable Floor Pan | | | – | |
| Toolless Lever Adjustments | | | – | |
| Ease of Access | Step-Through Front End | Step-Through Front End | Step-Through Front End | Step-Through Front End |
| Toolless Belt Covers | – | – | ✓ | ✓ |
| Deck Lift Pedal | | | Optional | |
| Greaseless Maintenance | | | – | |
| Integrated Parking Brake | | | ✓ | |
| Fuel Capacity | | | 3 gallon | |
| Blade Tip Speed | | | 17,359 ft/min | |
| Max Ground Speed | | | Up to 7mph | |
| Height of Cut | | | 1.5"-4.5" | |
| Frame | | | C-Channel | |
| Dampeners | | | Pro-Control | |
| Rear Tires | | | 18" X 7.5" | |
| Front Tires | | | 11" X 4" | |

*The gross horse power of these gasoline engines was laboratory rated by the engine manufacturer in accordance with SAE J1940 or SAE J1995. As configured to meet safety, emission and operating requirements, the actual horsepower on these mowers may be significantly lower.

**See your retailer for warranty details. †Time savings based on survey of consumers who purchased TimeCutters from 1/1/18-9/30/19. Time savings will vary.



MORE TIME FOR YOU
Cut mowing time up to 50%[†] with zero-turn steering, giving you a gorgeous lawn and more time to enjoy it.



TURF TOUGH. BULL STRONG.
The heavy duty steel IronForged® Deck doesn't flinch no matter what you throw its way.
(Select models.)

TIMECUTTER® ZERO-TURN MOWERS

MYRIDE®
SUSPENSION SYSTEM

GAME CHANGER. BACK SAVER.

Patented MyRIDE® Suspension System isolates you from the mower frame to save your back and accelerate your mow. *Select models.*



50" TIMECUTTER MAX

| 77505 | 77501 | 77502 |
|-------------------------------------|-------------------------|----------------------------|
| | 50" | |
| | Iron Forged™ Fabricated | |
| Seat Springs | Seat Springs | ▶ MyRIDE Suspension System |
| 22HP Briggs V-Twin | 23HP Kawasaki V-Twin | 23HP Kawasaki V-Twin |
| | 3-Year Residential | |
| | 3-Year Residential | |
| » 19" Gaming Style w/ Improved Foam | | |
| | » 4-Point | |
| | ✓ | |
| | ✓ | |
| ✓ | ✓ | - |
| | ✓ | |
| | 4 Point Deck Stability | |
| | ✓ | |
| | Standard | |
| | ✓ | |
| | ✓ | |
| | 5 gallon | |
| | 17,630 ft/min | |
| | Up to 7mph | |
| | 1.5"-5" | |
| | Tubular | |
| | Pro-Control | |
| | 20" x 10" Custom Voodoo | |
| | 12" X 6" | |

54" TIMECUTTER MAX

| 77503 | 77504 | 77506 | 77507 |
|-------------------------------------|-------------------------|---------------|----------------------------|
| | | HAVOC EDITION | HAVOC EDITION |
| | 54" | | |
| | Iron Forged™ Fabricated | | |
| ▶ MyRIDE Suspension System | Seat Springs | Seat Springs | ▶ MyRIDE Suspension System |
| | 23HP Kawasaki V-Twin | | |
| | 3-Year Residential | | |
| | 3-Year Residential | | |
| » 19" Gaming Style w/ Improved Foam | | | |
| | » 4-Point | | |
| | ✓ | | |
| | ✓ | | |
| ✓ | ✓ | - | - |
| | ✓ | | |
| | 4 Point Deck Stability | | |
| | ✓ | | |
| | Standard | | |
| | ✓ | | |
| | ✓ | | |
| | 5 gallon | | |
| | 17,698 ft /min | | |
| | Up to 7mph | | |
| | 1.5"-5" | | |
| | Tubular | | |
| | Pro-Control | | |
| | 20" x 10" Custom Voodoo | | |
| | 12" X 6" | | |

» Enhanced or step-up feature



COMFORT. GAME ON.

The gaming-style seat gives you big time support exactly where you need it.

TORO®

TIMECUTTER® ZERO-TURN MOWERS

MYRIDE®
SUSPENSION SYSTEM

GAME CHANGER. BACK SAVER.

Patented MyRIDE® Suspension System isolates you from the mower frame to save your back and accelerate your mow. Select models.



| | 60" TIMECUTTER MAX | | |
|-----------------------------------|----------------------|-------------------------------------|----------------------------|
| MODEL | 77601 | 77603 | 77602 |
| POWER SYSTEM | | HAVOC EDITION | HAVOC EDITION |
| Deck Size | | 60" | |
| Deck Material | | Iron Forged™ Fabricated | |
| Suspension System | Seat Springs | ▶ MyRIDE Suspension System | ▶ MyRIDE Suspension System |
| Engine | 23HP Kawasaki V-Twin | 23HP Kawasaki V-Twin | 24HP Kohler V-Twin |
| Warranty | | 3-Year Residential | |
| Engine Warranty | | 3-Year Residential | |
| FEATURES | | | |
| Seat | | » 19" Gaming Style w/ Improved Foam | |
| Deck Mounting | | » 4-Point | |
| Toolless Deck Removal | | ✓ | |
| Commercial Drop Pin Height of Cut | | ✓ | |
| Removable Floor Pan | ✓ | – | – |
| Toolless Lever Adjustments | | ✓ | |
| Ease of Access | | 4 Point Deck Stability | |
| Toolless Belt Covers | | ✓ | |
| Deck Lift Pedal | | Standard | |
| Greaseless Maintenance | | ✓ | |
| Integrated Parking Brake | | ✓ | |
| Fuel Capacity | | 5 gallon | |
| Blade Tip Speed | | 18,445 ft/min | |
| Max Ground Speed | | Up to 7mph | |
| Height of Cut | | 1.5"-5" | |
| Frame | | Tubular | |
| Dampeners | | Pro-Control | |
| Rear Tires | | 20" x 10" Custom Voodoo | |
| Front Tires | | 13" X 6.5" | |

» Enhanced or step-up feature

TORO®